දුරකථන) 2698475		මගේඅංකය)	
தொலைபேசி) 2698490		எனது இல)	NCCP/ADM/26/2017
Telephone) 2698507		My No.)	
ෆැක්ස්) 2692913		@ Q	,	
பெக்ஸ்) 2693869		ඔබේඅංකය)	
Fax)		உமது இல)	
			Your No. :)	
විදසුත් තැපෑල)	සුවසිරිපාය			
மின்னஞ்சல் முகவா) postmaster@health.gov.lk	600000m	දිනය)	
e-mail)	0.0	திகதி)	29 /11/2018
වෙබ්අඩවිය)	சுவசிரிபாய	Date)	
இணையத்தளம் wahaita) www.health.gov.lk	SUWASIRIPAYA			

සෞඛ්ය, පෝෂණ හා දේශීය වෛදය අමාතයාංශය சுகாதாரம்,போசணைமற்றும் சுதேசவைத்தியஅமைச்சு Ministry of Health, Nutrition& Indigenous Medicine

General Circular No: 01-54 12018

To:

All Provincial Directors of Health Services.

All Regional Directors of Health Services,

All Heads of Institutions/ District Medical Officers/Medical Officers In charge.

Medical Officers (Maternal and Child Health/Non Communicable Diseases),

All Regional Dental Surgeons,

All Medical Officers of Health.

Screening programme for Oral Potentially Malignant Disorders and early detection of Oral cancer:

Obtaining services of Public Health Midwives and Public Health Inspectors to identify and refer people at a higher risk for Oral Potentially Malignant Disorders and Oral cancer

'Oral cancer' is traditionally defined as squamous cell carcinoma of the lip, oral cavity and oropharynx. According to cancer incidence data in year 2011, lip, oral cavity and oropharyngeal cancers accounted for 16.4% of all reported cancers in Sri Lanka and it is the commonest cancer among males. Out of new cancer cases reported among males in 2011, 24% were cancers of the lip, oral cavity and pharynx.

Despite numerous advances in treatment of oral cancer, 5-year survival has remained approximately 50% for last 50 years. It has the highest mortality rate among all types of cancers (3 deaths per day) and is largely attributed to patients seeking medical advice only at a very late stage. This is proven by the fact that, of all oral cancer patients whose staging information is available, 76% are in stages III or IV (Cancer Incidene Data, Sri Lanka 2011).

There is sufficient research evidence regarding the aetiology of oral cancer. According to scientific evidence, habits such as betel quid chewing with or without tobacco, chewing of tobacco and areca nut products, smoking

and use of alcohol are considered as major risk factors for oral cancer. It has been shown that there is a high prevalence of above habits among Sri Lankan population.

According to the National Oral Health Survey 2002/2003, prevalence of betel quid chewing was 34% among 34-44 year olds and 47.7% among 65-74 year olds. Betel quid chewing is more prevalent in the rural communities when compared to urban communities. Non Communicable Risk Factor Survey, Sri Lanka 2015 (STEPS Survey) reported that among the adults aged 18-69 years more than one fourth of males (26%) and nearly 5% of females reported as currently using smokeless tobacco. This was more prevalent among older age groups. However, according to the recent scientific evidences, there is an emerging trend of increased usage of commercially/self-prepared smokeless tobacco and arecanut products among younger age groups.

Screening of individuals having a higher risk for oral cancer facilitates the identification of Oral Potentially Malignant Disorders (OPMD) and detection of oral cancer in early stages. Early detection will also significantly improve the outcome of treatment and the quality of life of the patient.

Some population sub-groups such as drivers, estate workers, farmers, fishermen, manual labourers, construction site workers, rural villagers, etc. are at a high risk of OPMD and oral cancer due to their risk habits in day today living. Hence, more attention should be paid for these population sub-groups when screening for OPMD/oral cancer.

A triad of criteria was developed to identify the individuals who are having a higher risk for OPMD and oral cancer and these individuals need refer to the to Dental Surgeons for clinical oral examination and further management.

Triad of criteria:

- 1. Those who chew betel quid three or more times a day.
- 2. Those who chew betel quid less than three times a day and additionally: smoke/ consume alcohol/ smoke and consume alcohol habitually.
- 3. Those who habitually consume tobacco and areca nut products (like babul, **b**eeda, pan parag, mawaetc.)

Since Primary Health Care (PHC) staff has a large opportunity to encounter high-risk individuals at community level, a decision was made to obtain services of Public Health Midwives (PHMs) and Public Health Inspectors (PHIs) for identification of individuals with a higher risk of having OPMD and oral cancer. Obtaining the services of PHMs for this activity was endorsed at the 19th meeting of the National Advisory Committee on Family Health, held on 7thJuly 2015. Since this activity is to be done by PHMs and PHIs during their routine home/ field visits, it will not add an additional burden over their routine services.

Roles and responsibilities of health care facilities and service providers are identified (Annex I) in order to facilitate identification of people with OPMD and early detection of oral cancer, which will improve oral cancer prevention and control activities.

Public Health Midwives and Public Health Inspectors, either during their regular home visits or during other encounters with the community, should identify high-risk individuals for OPMD and oral cancer according to the triad of criteria given above. They should be referred to the Dental Surgeon in the nearest state hospital using referral forms provided (Annex II). Time slot between 10.30 am to 11.30 am on weekdays is identified as preferable for directing these individuals to hospital dental clinics. This will minimize interuption to routine therapeutic activities at the Dental Clinic and the waiting time. Dental Surgeons should ensure management of referred individuals according to the 'Guideline for Management of OPMDs'. If necessary, these patients should be referred to Oral & Maxillo-Facial Surgery (OMF) units using referral forms provided (Annex III). All referral received by the Dental Surgeon should be back referred to respective PHM/PHI using the overleaf of the referral form (Annex II).

For the purpose of referrals and back-referrals, the National Cancer Control Programme (NCCP) has developed two simple formats (Annex II & III). They will be provided as booklets.

- 1. Referral form to be used by Primary Health Care (PHC) staff to refer high-risk individuals to Dental Surgeons and the feedback form (Annex II).
- 2. Referral form to be used by Dental Surgeons to refer patients to Oral & Maxillo Facial Surgery (OMF) units and the feedback form (Annex III).

Overleaf of the referral form was designed to provide the feedback from Dental Surgeon at hospital dental clinic to PHM/PHI (Annex II) or from OMF unit to Dental Surgeon who referred the clients (Annex III).

All the Provincial and Regional health authorities are advised to take necessary measures to facilitate and coordinate this initiative in order to reduce oral cancer burden in Sri Lanka.

If you need any further clarifications please contact the Director or Consultant in Community Dentistry of National Cancer Control Programme (Tel: 0112368627).

Dr. Anil Jasinghe

Cc:

Director General of Health Services

Dr. Anil Jasinghe Director General of Health Services Ministry of Health, Nutrition & Indigenous Medicine, "Suwasiripaya"

385, Rev. Baddegama Wimalawansa Thero Mawatha,

Colombo 10.

Deputy Director General - Public Health Services I& II

Deputy Director General - Non Communicable Disease Bureau

Deputy Director General - Dental Services

Director - National Cancer Control Programme

Director - Maternal and Child Health

Director - Non Communicable Diseases

Director - Dental Services

Director - Primary Care Services

Annexes:

Annex No	Name of the Return/ Record	Prepared by	Sent to	Source of information	Timeline
Annex I	Roles and responsibilities of health care facilities and service providers	-	-	-	-
Annex	Referral Form for Primary Healthcare Staff to refer high-risk people for OPMD/ Oral cancer to the Dental	Referral: PHM/ PHI	Dental Surgeon	-	When high-risk indivuduals are identified
	Surgeon and feed back form for the Dental Surgeon	Feedback: Dental Surgeon	РНМ/РНІ	-	
Annex	Referral form for the Dental Surgeons to refer patients to Oral & Maxillo Facial Surgical units and feed back	Referral: Dental Surgeon	Oral & Maxillo Facial Unit	-	
	form for Dental Surgeons at OMF Unit	Feedback: OMF Surgeon / Dental Surgeon in OMF Unit	Dental Surgeon	-	
Annex IV	Register for new patients with oral cancer and oral potentially malignant disorders	Dental Surgeon	-	-	
Annex V	Monthly return for Dental Surgeons on new patients with oral cancer and oral potentially malignant disorders	Dental Surgeon	Regional Dental Surgeon	Register for new patients with oral cancer and oral potentially maliganant disorders	On or before 5 th day of the subsequent month.
Annex VI	Quarterly return for Regional Dental Surgeons on new patients with oral cancer and oral potentially malignant disorders	Regional Dental Surgeon	Director, National Cancer Control Programme	Monthly Return on New Patients with Oral Cancer and Oral Potentially Malignant Disorders by Dental Surgeons.	On or before 25 th day of the month subsequent to the quarter.

Annex I

Roles and Responsibilities of Health Care Facilities and Service Providers

Role of National Cancer Control Programme (NCCP)

- Ensure public awareness on OPMD and oral cancer and their risk factors through mass media and other communication channels.
- Training of Primary Healthcare staff: Training of Trainers (TOT) and ensure cascade training up to field level staff.
- Coordination of oral cancer prevention and early detection programme with Deputy Director General
 of Dental Services, Deputy Director General of Non Communicable Disease Bureau, Director Family Health Bureau, Director -Health Promotion Bureau, Director Primary Care Services,
 Principal Public Health Inspector and other relevant authorities including provincial and district level
 staff of Ministry of Health and oral health professionals.
- Ensure overall oral cancer prevention and early detection programme in the country: planning, coordination, implementation and monitoring of programmes on prevention and early detection of oral cancer.
- Ensure receipt of data on cases referred for screening and number of cases diagnosed, compilation and data analysis.
- Ensure that supply chain management is properly functioning and relevant hospitals / MOH areas receive required equipment and consumables.

Role of Provincial Director of Health Services (PDHS)

- Coordination of oral cancer prevention and early detection programme with district level staff of Ministry of Health including Regional Directors of Health Services, Provincial Consultant in Community Dentistry and Regional Dental Surgeons.
- Monitoring and evaluation of the programme at provincial level.

Role of Regional Director of Health Services (RDHS)

- Coordination of oral cancer prevention and early detection programme with district level staff including Regional Dental Surgeon and Medical Officers of Health
- Implementing, monitoring and evaluation of the programme at district level.
- Provision of adequate resources for dental clinics facilitating screening activities.

Role of Provincial Consultant in Community Dentistry (CCD)

- Coordination of oral cancer prevention and early detection programme with district level staff of Ministry of Health including RDHS, Consultant Community Physicians, RDS, MO – NCD and Medical Officers of Health.
- Coordination of training programmes on prevention and early detection of oral cancer for primary health staff in the province with NCCP and district level staff of Ministry of Health and ensure cascade training up to field staff.
- Ensure public awareness on OPMD and oral cancer and their risk factors within the province.
- Organize targeted awareness campaigns and screening programmes for high-risk individuals for oral cancer at district level with RDS, MOH, Dental Surgeons and Primary Health Care staff.
- Compile and analyse data on patients referred and diagnosed at provincial level. Coordinate with NCCP regarding the data of these patients.
- Conduct surveys within the province to assess the prevalence of risk factors related to oral cancer and OPMDs.
- Monitoring and evaluation of the programme at provincial level.

Role of Regional Dental Surgeon (RDS)

- Implement the oral cancer prevention and early detection programme at district level.
- Coordination of oral cancer prevention and early detection programme with district level health staff including MOH.
- Coordinate with the Dental Surgeons of the area to ensure they screen the high-risk individuals referred by the PHC staff.
- Coordinate with MO NCD of the district to ensure oral cancer prevention and early detection programme in the common NCD screening programme.
- Coordinate training programmes for Dental Surgeons, Medical Officers, Registered Medical Officers and PHC staff.
- Ensure adequate supply of logistics including supply and distribution of referral forms, registers and returns at district level.
- Organize targeted awareness campaigns and screening programmes for high-risk individuals at district level with the coordination of Dental Surgeons and Primary Health Care staff.
- Compile the "Quarterly return on new patients with oral cancer and oral potentially malignant disorders "(Annex VI) based on the monthly return send by the government dental surgeons. This return needs to be sent to the Director, National Cancer Control Programme, on or before 25th day of the month subsequent to the end of quarter.

Role of Medical Officer of Health (MOH)

- Implement the oral cancer prevention and early detection programme at MOH area level.
- Coordination of oral cancer prevention and early detection programme with MOH staff.
- Coordinate with Regional Dental Surgeon and Dental Surgeons of the area to ensure that the Dental Surgeons screens high-risk individuals referred by the PHC staff.
- Coordinate training programmes for Dental Surgeons, Medical Officers, Registered Medical Officers and PHC staff with the Regional Dental Surgeon.

Role of Public Health Nursing Sister (PHNS) / Supervisory Public Health Inspectors (SPHI)/ Supervisory Public Health Midwife (SPHM)

- Coordination of oral cancer prevention and early detection programme at MOH level with the Medical Officers of Health, Dental Surgeons and PHC staff.
- Monitor distribution of referral forms among the PHC staff at MOH level.
- Organizing targeted awareness campaigns and screening programmes for high-risk individuals at MOH area levels with the coordination of Regional Dental Surgeon.

Role of Public Health Midwives (PHM) and Public Health Inspectors (PHI)

- Promote oral cancer prevention and early detection programme at PHM/PHI area level.
- Identify individuals at risk of OPMD / oral cancer during their routine home/ field visits, and refer them to the closest government Dental Surgeon by using the referral form (Annex II).
- Keep the duplicate copy of the referral form with PHM/ PHI.
- Educate the public on the importance of habit intervention and mouth self-examination.
- Trace the loss to follow up patients diagnosed with oral cancer.

Role of Dental Surgeons in Government Hospitals

- Opportunistic screening for OPMD and oral cancer of all patients attending the dental clinic.
- Priority for screening should be given to persons referred by PHC staff and self-referred individuals (PHC staff is asked to refer persons for screening between 10.30 am to 11.30 am on weekdays).
- Provide instructions to persons referred for screening of OPMD / oral cancer by PHC staff and self-referred individuals to improve the oral hygiene and for habit intervention.
- Manage patients with OPMD according to the 'Guideline for management of Oral Potentially
 Malignant Disorders'- Management will be either at clinic level or they will be referred to the Oral
 & Maxillo Facial Surgical (OMF) units for further management using the referral forms provided
 (Annex III). Keep the duplicate copy of the referral form in the dental clinic.

- In case of receipt of cases referred back, follow-up and improvement of oral health status should be done according to the treatment plan.
- Improvement of the oral health status of the patient with OPMD is considered as the most important step in preventing malignant transformation. Therefore, the Dental Surgeons of the primary care institutions should improve the oral health status of the OPMD patients before starting any treatment or referring to OMF units for further management.
- Should maintain the 'Register for new patients with oral cancer and Oral Potentially Malignant Disorders' (Annex IV) at the clinic.
- Should prepare the 'Monthly return on new patients with oral cancer and oral potentially malignant disorders' (Annex V) using the above mentioned register and send to the RDS of the district on or before 5th day of the subsequent month.
- Monthly statistics on OPMDs should also be reported through the 'Monthly Report of Hospital Dental Clinics' (format H 1201) to the respective authorities.
- Dental Surgeon-in-charge of dental clinics not under administrative purview of Provincial Director of Health Services should also maintain all registers related to oral cancer and OPMD. The returns should be sent to relevant authorities as mentioned above.

Role of Medical Officers (especially at HLCs / OPD)

- Identify high-risk individuals according to the developed triad of criteria and refer them to the nearest Dental Clinic in state hospital to carry out a proper clinical oral examination.
- Follow the Guideline for Management of Oral Potentially Malignant Disorders' published by National Cancer Control Programme, Ministry of Health, Nutrition and Indigenous Medicine for technical guidance on OPMD.
- Assist individuals having higher risk for OPMD / Oral cancer for cessation of risk habits.

Role of Oral &Maxillo Facial Surgical (OMF) Units

- Manage patients with OPMD and oral cancer at OMF units.
- Patients with OPMD should be referred back to the dental clinic for improvement of oral health status
 and follow up (if the patient is referred by a Dental Surgeon, back referral can be carried out using
 overleaf of the same form Annex III).
- Liaise with Dental Public Health / Preventive Oral Health units (if available) for habit intervention, counselling and improvement of oral hygiene of OPMD patients.
- Maintain the 'Register for Oral Cancer Incidence Data' at the OMF units. Annual returns should be sent to the Director, National Cancer Control Programme, Public Health Complex, 555/5, Elvitigala Mawatha, Narahenpita according to the General Circular No: 01-33/2012.

Role of dental surgeons and medical officers in private sector

- Opportunistic screening of all patients attending dental / medical clinics for OPMD and oral cancer.
- Refer those patients having OPMD or oral cancer to the nearest OMF units for further management.
- Provide instructions on refraining from those who consume betel quid or tobacco and areca nut products.

Referral form for Primary Health Care staff to refer high-risk individuals for OPMD / oral cancer to Dental Surgeon

வாய் சுகா	இல் සෞඛ්ය පරීක්ෂණය ரதாரப் பரிசோதனை			දිනය/ණිසණි
සෞ. වෛ. නි. කො	ට්ඨාශය /சு.வை.அ.பிரிவு	ම.සෞ.ප. කොට්ඨාශය /බා ප. සෞ. සේ. නි. කොට්ඨාශ		
නම / பெயர்:			ස්තී/பெண் පු	රුෂ/ஆණා
වයස/ഖധத്ച:	ලිපිනය/ (ഗ്രക്കബ്നി:	#7347 X	දුර. අංකය/බළ	ா. பே. இல.
_ බුලත්විට සැපීම/ෙ	துව / பரிசோதனைக்கா வற்றிலை போடுதல் தல்	මදෳසාර ෑ	බවීතය/மது அருந்துதல் . வறு	
යොමුකළ නිලධාරියාගේ ග්ලිසුලේ පෙර්ගර්ගර්ග කෙල්		යොමු වියයුතු මෙන්න කොණාග	රෝහල ப வைத்தியசாலை	

Feed back form to be filled by the Dental Surgeon

8ායනික විනිශ්චය/பிணியாய்வு அவதாணிப்பு:	
වෛදාවෙරයාගේ නිර්දේශය/வைத்திய பரிந்துவ	J:
තැවත පරීක්ෂා කිරීම: මාස 3ට පසු රීள்பரிசோதணை 3 மாதத்தின்பின் 🗌	මාස 6ට පසු වසරකට පසු 6 மாதத்தின்பின்
වෙනත් කරුණු /ඉඹෙනසා ලුறුට්பු:	

Referral form for the Dental Surgeons to refer patients to Oral and Maxillo Facial Surgica	al v	u
--	------	---

	Referra	l form to OMF	Surgical U	nit		
Name of the patient:				Male	Female	model and a second
Age: Ad	dress:			Telephone	number:	
Habits: Betel Chewing						
		Other				
Dental Surgeon's Signature		Hospital			Date	
To be fille	d by the dent	al surgeon at OMI	Surgical U	nit (For	feedback)	
Diagnosis:			· · · · · · · · · · · · · · · · · ·			
Treatment plan:						
Treatment plan: To be reviewed in:	3/12	6/12	1 year			******
To be reviewed in:		6/12				

BOOME WINES OF TAX WINES LAND	granic konservationsmaner.	T	•		·	
ement	Referred to		a a	,		
Management	Treatment			,	1	,
	Diagnosis					
	Programme of the second	*			4-14	maken maran maga kema amatawan jang arawan sanara sanara sanara sanara sanara sanara sanara sanara sanara sana
	Site					
	Address					
	NIC No.					
	lagA xo8					
	Patient's Name					
	Regd No.					
- Constitution of the Cons	Date	The second of th	The second secon	A CONTRACTOR OF THE PROPERTY O		

Annex V

Monthly Return for Dental Surgeons on new patients with Oral Cancer and Oral Potentially Malignant Disorders

This monthly return should be compiled by the Dental Surgeon/ Dental Surgeon incharge and should be sent to the Regional Dental Surgeon (RDS) of the district on or before 5th day of the subsequent month.

T C						
Information of	m hi	on-r	ISK	ma	IVIO	11219
AAAAOA AAAGEEAOAA C		- A	ALVAR	***		PRESERV

Year	Month	RDHS Divis	ion		
Name of the Institution	n				
Number of high-risk individuals referred by (based on the PHC referral booklet)		he PHC staff	МО	Self referral	Other
Number of high-risk in	ndividuals reported to the Dental Clin	iic			

Information on indivials with OPMD/ suspected Oral Cancers

(Please refer the Register for new patients with					Total
Oral Cancer and Oral Potentially Malignant Disorders)	Self referral	PHC staff	GP	Other	
Total number of OPMDs detected at dental clinics					
Total number of suspected Oral Cancers detected at dental clinics			W.		

Details of OPMD and suspected Oral Cancer detected at the Dental Clinic

Condition		Male	Female	Total
1	Leukoplakia			
2	Erythroplakia			
3	Oral sub mucous fibrosis			
4	Oral lichen planus			
5	Other OPMDs			
Total	number of OPMDs			
Total	number of suspected Oral Cancer			

Special Remarks:	

Name of the Dental Surgeon	:	
Date	·	8
Signature		

Annex VI

Quarterly return for Regional Dental Surgeons on new patients with Oral Cancer and Oral Potentially Malignant

Disorders

	Quaterly Return snould be C Oral Cancer and Oral Pote			-				iniy X	eturn or	i new pane.	nıs
	ruarterly return should be s gala Mawatha, Narahenpit								ealth Co	mplex, 555	5/5,
Year Quarter 1 (Jan-March)			Quarter 2 (April- June)	Quarter 3 Quarter 4 2 (July (Oct-Dec)							
RDHS Division			Under RDHS Division			n	Line Ministry				
No	of dental clinics in the Dist	rict									
	of dental clinics who send a of the quarter	all 3 retru	ıns at th	е							
Infor	mation on high-risk indiv	iduals									
Number of high risk PHC individuals referred to the dental clinics by PHC staff			МО	Self	Other	re	lumber of high-risk individuals eported to the Dental Clinic uring the quarter				
	ing the quarter (Based on PHC referral booklet)										
Det	ails of OPMD and suspec	ted Oral	Cancer	detected at	the Den	tal Cl	linie				
	OPMD Type	Male	F	emale	Total		OPMD Type		Male	Female	Total
1	Leukoplakia					5	Other OPMD	S			
2	Erythroplakia					6	Total No OPMD's	of			
3	Oral sub mucous fibrosis					7	Total No suspected Cancer	of Oral			
4	Oral lichen planus										
(Pl	ease refer the Register fo	r new pa	atients	Referfed by						Total	
ith Oral sames and Oral Potentially			Self referral	1 PHC staff N		МО	Ot	ther			
Total number of OPMDs detected at dental clinics											
Total number of suspected oral cancers detected at dental clinics											

Special Remarks:	
Name of the RDS	:
Date	·
Signature	·